A		Comfort (Thermally Neutral) Conditions for Three	
ACHENBACH, P.R., J.C. DAVIS and T.K. FAISON, Errors in Temperature Measurement of Moving		Levels of Activity, Thermal, P.E. McNALL, JR., J. JAAX, F. H. ROHLES, R. G. NEVINS and W. SPRINGER	I. 3. 1
Air under Isothermal Conditions Using Thermo- Couples, Thermistors and Thermometers Activity, Thermal Comfort (Thermally Neutral) Con-	VII. 1. 1	Compressor Plate Valves, Methods for Estimating the Opening Impact Velocity of Reciprocating,	17.44 T
ditions for Three Levels of, P.E. McNALL, JR., J. JAAX, F.H. ROHLES, R.G. NEVINS and W.		F.A. CRESWICK. Compressors, Development of a Double-Lobed Cylinder for Rotary Vane-Type, R.K. LO and U. REM-	VI. 3. 1
SPRINGER A Generalized Approach for Predicting the Reduced	I. 3. 1	BOLD	VI. 2. 1
Viscosity of Vapor Refrigerants, R.A. MATULA and O.W. WITZELL	VI. 1. 1	Vapors, J. BORCHMANN	IV.2.1
Air Fittings, Equivalent Length Values for Supply and Return, S. KONZO, G.W. BURGOYNE and R.H.		Condensing Temperature Using Solid State Fan Motor Speed Control, Control of, D. B. DIBBLE and R. E. WOOD	VII. 4. 1
HENNINGER Air Pressure, Human Reaction to Short-Duration Changes in Ambient, R.C. MALLONEE, II	V.1.1	Conduction Systems in the High or Low Biot Number Region, Characteristics of Transient Heat, I.J.	******
Air to a Horizontal Flat Plate Held at Sub-Freezing Temperatures, Heat Transfer from Humid, G.J. TRAMMELL, J. CANTERBURY and E.M. KILL-	44. 2. 4	KOPELMAN and I.J. PFLUG Contaminants in Commercial Refrigeration Equipment, Field and Laboratory Studies of Wax-Like, L.A.	IV.4.1
GORE	IV.3.1	ZAHORSKY Contaminants with a Refrigerant Drier, Removing	п.1.1
Air under Isothermal Conditions Using Thermocou- ples, Thermistors and Thermometers, Errors in		Wax-Like, J.E. HOFFMAN and B.L. LANGE Convection and Radiation from Rectilinear Fins, Com-	п. 3. 1
Temperature Measurement of Moving, J. C. DAVIS, T.K. FAISON and P.R. ACHENBACH	VII. 1. 1	bined, B.E. ENO. Control of Condensing Temperature Using Solid State	IV. 1. 1
door Shading, M.W. KEYES	VIII. 4. 1	Fan Motor Speed Control, D.B. DIBBLE and R.E. WOOD	VII.4.1
Annuli, Heat Transfer of High Velocity Vapors Condensing in, J. BORCHMANN	IV.2.1	Cool d with Ventilating Ceilings, Thermal Environ- ment in Perimeter Office Spaces, L. L. BOYER, JR. Cooling Load Calculations by Thermal Response Fac-	ш.з.1
В		tor Method, D.G. STEPHENSON and G.P. MITA- LAS	ш.1.1
BECK, W.D., J.D. HUMMELL and J.A. EIBLING, Shelter Cooling Using Methanol as a Refrigerant Biot Number Region, Characteristics of Transient Heat Conduction Systems in the High or Low, I.J.	VIII. 2. 1	Cooling Using Methanol as a Refrigerant, Shelter, W.D. BECK, J.D. HUMMELL and J.A. EIBLING Correlation of the Heat Output of Unenclosed Single- and Multiple-Tier Finned-Tube Units, R.R. LAS-	VIII. 2. 1
KOPELMAN and I.J. PFLUGBlower Performance, Cabinet Enclosures Influence on, H. F. FARQUHAR	IV. 4. 1 VII. 2. 1	CHOBER and G.R. SWARDCRESWICK, F.A., Methods for Estimating the Open- ing Impact Velocity of Reciprocating Compressor	V. 3. 1
BORCHMANN, J., Heat Transfer of High Velocity Vapors Condensing in Annuli	IV. 2. 1	Plate Valves	VI. 3. 1
BOUDREAU, M. W. and R. K. PEFLEY, Monoman Calorimeter Study as It Relates to Considerations of the Non-Isostate Aspect of Civil Defense Shelters.	VIII. 1. 1	opment of a Double-Lobed, R.K. LO and U. REM- BOLD	VI. 2. 1
BOYER, L. L., JR., Thermal Environment in Perimeter Office Spaces Cooled with Ventilating	ш. з. 1	D	
Ceilings. BOYS, F.E., FAHNESTOCK, M.K., F. SARGENT, II,	. 111.0.1	DAVIS, J.C., T.K. FAISON and P.R. ACHENBACH,	
and L.D. SILER, Energy Costs, Comfort, and Physiological Responses to Physical Work in 95 F -		Errors in Temperature Measurement of Moving Air under Isothermal Conditions Using Thermocouples,	
50% rh and 75 F - 45% rh Environments	I, 1, 1	Thermistors and Thermometers	
Air Fittings	V.1.1	BOLD. DIBBLE, D.B. and R.E. WOOD, Control of Condensing Temperature Using Solid State Fan Motor Speed	VI. 2. 1
C		Control	VII.4.1
Cabinet Enclosures Influence on Blower Performance, H. F. FARQUHAR	VII. 2. 1	Discharge from a Vessel Containing a Liquid and Its Vapor, J.C. CHATO Drapery Materials Used for Indoor Shading, Analysis	VII. 3.1
Calorimeter Study as It Relates to Considerations of the Non-Isostate Aspects of Civil Defense Shelters,		and Rating of, M.W. KEYES Drapery Shading Materials, Measurement and Appli-	VIII. 4. 1
Monoman, M. W. BOUDREAU and R. K. PEFLEY CANTERBURY, J., G. J. TRAMMELL and E. M. KILLGORE, Heat Transfer from Humid Air to a	VIII. 1. 1	cation of Solar Properties of, G. L. MOORE and C. W. PENNINGTON	
Horizontal Flat Plate Held at Sub-Freezing Temperatures.	IV. 3. 1	Drier, Removing Wax-Like Contaminants with a Re- frigerant, J.E. HOFFMAN and B.L. LANGE	п. 3. 1
Characteristics of Transient Heat Conduction Systems in the High or Low Biot Number Region, I.J. KO-	nd Yall		
PELMAN and I.J. PFLUG	IV.4.1	В	
CHATO, J.C., Discharge from a Vessel Containing a Liquid and its Vapor	VII.1.1	Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The,	
Combined Convection and Radiation from Rectilinear Fins, B.E. ENO	IV.1.1	A.P. GAGGE, G.M. RAPP and J.D. HARDY EIBLING, J.A., W. D. BECK and J. D. HUMMELL,	1.2.1
Comfort, and Physiological Responses to Physical Work in 95 F - 50% rh and 75 F - 45% rh Environ- ments, Energy Costs. M. K. FAHNESTOCK. F. E.		Shelter Cooling Using Methanol as a Refrigerant Energy Costs, Comfort, and Physiological Responses to Physical Work in 95 F - 50% rh and 75 F - 45% rh	
Comfort with Radiant Heating, The Effective Radiant	1.1.1	Environments, M. K. FAHNESTOCK, F.E. BOYS, F. SARGENT, II and L.D. SILER	L1.1
Field and Operative Temperature Necessary for, A.P. GAGGE, G.M. RAPP and J.D. HARDY	I. 2. 1	ENO, B.E., Combined Convection and Radiation from Rectilinear Fins	

Environment for Man, Industrial, R.G. SMITH Environment in Perimeter Office Spaces Cooled with	0.1.1	HENNINGER, R. H., S. KONZO and G.W. BURGOYNE, Equivalent Length Values for Supply and Return Air	
Ventilated Ceilings, Thermal, L.L. BOYER, JR Environments, Energy Costs, Comfort, and Physio-	ш. з. 1	Fittings HOFFMAN, J.E. and B.L. LANGE, Removing Wax-	V.1.1
logical Responses to Physical Work in 95 F - 50%		Like Contaminants with a Refrigerant Drier	П.3,1
rh and 75 F - 45% rh, M. K. FAHNESTOCK, F.E. BOYS, F. SARGENT, II and L.D. SILER	I. 1. 1	and A.L. STUEVER, Studies on Methods of Test-	
Equivalent Length Values for Supply and Return Air		ing the Cleanliness of Refrigeration Components	D.2.1
Fittings, S. KONZO, G.W. BURGOYNE and R.H. HENNINGER	V.1.1	Human Reaction to Short-Duration Changes in Ambient Air Pressure, R.C. MALLONEE, II	III.4.1
Errors in Temperature Measurement of Moving Air under Isothermal Conditions Using Thermocouples,		HUMMELL, J. D., W. D. BECK and J.A. EIBLING, Shelter Cooling Using Methanol as a Refrigerant	
Thermistors and Thermometers, J. C. DAVIS,	3797 1 1	Hydronic Heating System, Performance of a Seven-	
T. K. FAISON and P.R. ACHENBACH	VII.1.1	Zone Residential, W.S. HARRIS and C.H. FITCH	V.2.1
F		I	
FAHNESTOCK, M.K., F.E. BOYS, F. SARGENT, II and L. D. SILER, Energy Costs, Comfort, and Physiological Responses to Physical Work in 95 F	1.1.1	Industrial Environment for Man, R.G. SMITH Isostate Aspect of Civil Defense Shelters, Monoman Calorimeter Study as It Relates to Considerations	0.1.1
- 50% rh and 75 F - 45% rh Environments FAISON, T.K., J.C. DAVIS and P.R. ACHENBACH,	1.1.1	of the Non-, M.W. BOUDREAU and R.K. PEFLEY Isothermal Conditions Using Thermocouples, Ther-	VIII. 1.1
Errors in Temperature Measurement of Moving Air under Isothermal Conditions Using Thermo-		mistors and Thermometers, Errors in Tempera- ture Measurement of Moving Air under, J.C.	
couples, Thermistors and Thermometers	VII. 1. 1	DAVIS, T.K. FAISON and P.R. ACHENBACH	VII.1.1
Fan Motor Speed Control, Control of Condensing Temperature Using Solid State, D.B. DIBBLE and R.E.			
FARQUHAR, H. F., Cabinet Enclosures Influence	VII. 4. 1	J	
on Blower Performance	VII. 2. 1	JAAX, J., P.E. McNALL, JR., F.H. ROHLES, R.G. NEVINS and W. SPRINGER, Thermal Comfort	
nants in Commercial Pefrigeration Equipment,	П.1.1	(Thermally Neutral) Conditions ffor Three Levels of Activity	1.3.1
L.A. ZAHORSKY	18. 8. 8		
Unenclosed Single- and Multiple-Tier, R.R. LAS- CHOBER and G.R. SWARD	V.3.1	K	200
Fins, Combined Convection and Raciation from Recti- linear, B.E. ENO	IV. 1. 1	KEYES, J.M., J.E. HOFFMAN, L. A. ZAHORSKY and A.L. STUEVER, Studies on Methods of Test-	
FITCH, C.H. and W.S. HARRIS, Performance of a		ing the Cleanliness of Refrigeration Components	П.2.1
Seven-Zone Residential Hydronic Heating System Fittings, Equivalent Length Values for Supply and Re-		KEYES, M.W., Analysis and Rating of Drapery Ma- terials Used for Indoor Shading	VIII.4.1
turn Air, S. KONZO, G.W. BURGOYNE and R.H. HENNINGER		KILLGORE, E.M., G.J. TRAMMELL and J. CANTER- BURY, Heat Transfer from Humid Air to a Hori-	
Freezing Temperatures, Heat Transfer from Humid Air to a Horizontal Flat Plate Held at Sub-, G.J.		zontal Flat Plate Held at Sub-Freezing Tempera- tures	IV.3.1
TRAMMELL, J. CANTERBURY and E.M. KILL-GORE		KINGSBURY, H. F., School Building and Operating Costs in Pennsylvania: Gas and Oil Heated Build-	
		ings	V.4.1
G		Equivalent Length Values for Supply and Return Air	2
GAGGE, A.P., G.M. RAPP and J.D. HARDY, The		Fittings	V.1.1
Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating		of Transient Heat Conduction Systems in the High	TT7 A 1
Gas and Oil Heated Buildings, School Building and Operating Costs in Pennsylvania:, H. F. KINGS-		or Low Biot Number Region	IV. 4.1
BURY	V.4.1		
		L ANCE DI I F HOTTIAN D	
H HARDY, J.D., A.P. GAGGE and G.M. RAPP, The Effective Radiant Field and Operative Temperature		LANGE, B. L. and J. E. HOFFMAN, Removing Wax- Like Contaminants with a Refrigerant Drier LASCHOBER, R. R. and G. R. S. ARD, Correlation of the Heat Orbut of Unexployed Sixeles, and Multi-	п. з.1
Necessary for Comfort with Radiant Heating	I.2.1	of the Heat Output of Unenclosed Single- and Multi- ple-Tier Finned-Tube Units	V.3.1
HARRIS, W. S. and C. H. FITCH, Performance of a Seven-Zone Residential Hydronic Heating System		LO, R. K. and U. REMBOLD, Development of a Dou- ble-Lobed Cylinder for Rotary Vane-Type Com-	
Heat Conduction Systems in the High or Low Biot Number Region, Characteristics of Transient,		pressors	VI.2.1
I.J. KOPELMAN and I.J. PFLUG	IV. 4. 1		
in Pennsylvania: Gas and Oil, H. F. KINGSBURY	V.4.1	M	_
Heating System, Performance of a Seven-Zone Residential Hydronic, W.S. HARRIS and C.H. FTTCH	V.2.1	MALLONEE, R. C., II, Human Reaction to Short- Duration Changes in Ambient Air Pressure	
Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant,		MATULA, R.A. and O.W. WITZELL, A Generalized Approach for Predicting the Reduced Viscosity of Vanor Refrigerants	
A.P. GAGGE, G.M. RAPP and J.D. HARDY Heat Output of Unenclosed Single- and Multiple-Tier Finned Tube Units, Correlation of the R.R. LAS-		Vapor Refrigerants	
Finned Tube Units, Correlation of the, R.R. LAS- CHOBER and G.R. SWARD	. V.3.1	NEVINS and W. SPRINGER, Thermal Comfort (Thermally Neutral) Conditions for Three Levels	
Heat Transfer from Humid Air to a Horizontal Flat Plate Held at Sub-Freezing Temperatures, G.J.		of Activity	
TRAMMELL, J. CANTERBURY and E.M. KILL-		Drapery Shading Materials, G. L. MOORE and	
GORE	1	C.W. PENNINGTON	- 100
Annuli, J. BORCHMANN	. IV.2.1	W.D. BECK, J.D. HUMMELL and J.A. EIBLING	VIII.2.1

Methods f Recipr CRESV MITALAS Load Method MITALAS Therm

Monoman eration Shelter MOORE, and A Shadin

NEVINS, ROHL (Thermof Act

Oil Heat

PEFLEY

Calor of the PENNING and A Shadir Perform Heati PFLUG, of Tr or Lo Physiolo 50% r Costs

BOYS Pressur in An

Radiant for (A. P. Radiatio and, RAPP, Effect Nece Refrige with

Refrige W.D Refrige the I O.W Refrige ing MAN Refrige of V ZAF

REMBO
blepres
Remov
Dric
ROHLE
NEV
(The
of A
Room
and

CRESWICK. WITALAS, G. P. and D. G. STEPHENSON, Cooling Land Calculations by Thermal Response Pactors. MITALAS, G. P. and D. G. STEPHENSON, Room Thermal Response Pactors. MICHAEL S. G. P. and D. G. STEPHENSON, Room Thermal Response Pactors. MICHAEL S. G. P. and D. G. STEPHENSON, Room Thermal Response Pactors. MICHAEL S. G. P. E. MCHALL, JR. J. JACK P. H. M. STEPS, R. G., P. E. MCHALL, JR. J. JACK P. H. M. STEPS, R. G., P. E. MCHALL, JR. J. JACK P. H. M. STEPS, R. G., P. E. MCHALL, JR. J. JACK P. H. MCHES and W. SPENINGER, Thermal Conditions of the Non-Inoutant Calving Costs in Pennsylvania: Gas and, H. F. KINGSBURY V. 4.1 MINDER, R. G., P. E. MCHALL, JR. J. JACK P. H. STEPLESON, D. G. and G. P. MITHEL STEP		Methods for Estimating the Opening Impact Velocity of		S	
JUTALAS, G. P. and D. G. STEPHENSON, Cooling Load Calculations by Thermal Response Pactors. Method: MITALAS, G. P. and D. STEPHENSON, Room MITALAS, G. P. and D. STEPHENSON, W. BOUDERAU and R. K. PEFLEY	П	Reciprocating Compressor Plate Valves, F.A.	VI. 3. 1	SARGENT, F., II, M. K. FAHNESTOCK, F. E. BOYS	
Lad Calculations by Thermal Response Pactor Method. O. P. and D. S. TETHENNOON, Boom Method from Common Calculating and Common Calculating and R. K. PELFEY	П	MITALAS, G. P. and D. G. STEPHENSON, Cooling			
MERICAL G. P. and D. G. STEPHENNON, Room MITALES Response Pactors		Load Calculations by Thermal Response Factor	*** 1 1	50% rh and 75 F - 45% rh Environments	1.1.1
Thermal Response Pactors. Macomac Alcoliumeter Study as It Relates to Considerations of tw. BOUDREAU and R.K. PEFLEY. VIII.1.1 MOGRE, G.I. and C.W. PENINGYON, Measurement and Application of Solar Properties of Drapery Shading Materials. NEYES, R.G., P.E. McNALL, JR. J. JAAX, F. H. REGUES and W. SPENINGER, Thermal Conduct Thermally Neutral) Conditions for Three Levels of Activity. O O O O O O O O O O O O O O O O O O O		Method	ш. т. т	School Building and Operating Costs in Pennsylvania:	
Justine Study as R Relates to Considerations of the Non-Isositic Aspect of Civil Defense Selters, M. W. BOUDREAU and R. K. PEFLEY		Thermal Response Factors	III. 2. 1	Gas and Oil Heated Buildings, H. F. KINGSBURY	V.4.1
gestimes, M. W. BOUDREAU and R. K. PEFLEY VIII. 1.1 MOREE, G. L. and C. W. PENNINGTON, Measurement and Application of Solar Properties of Drapery Bading Materials VIII. 2.1 N. NEVINS, R. G., P. E. McNAIL, JR. J. J. J. J. J. J. J. J. MAX, F. H. ROILES and W. SPRINGER, Thermal Confort (Thick) Meutral) Conditions for Three Levels of Activity I. 2.1 O. O. Ileated Buildings, School Building and Operating Costs in Pennsylvania: Gas and, H. F. KINGSBURY V. 4.1 PFFLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Study as R. Relates to Considerations of the Non-Isostate Chapter of Civil Defense Shelters VIII. 1.1 PFFLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Study as R. Relates to Considerations of the Non-Isostate Appeted of Civil Defense Shelters VIII. 1.1 PFFLIES, R. K. and M. W. BOUDREAU, Monoman Calorimeter Study as R. Relates to Considerations of the Non-Isostate Appeted of Civil Defense Shelters VIII. 1.1 PFFLIES, J. A. L. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials VIII. 3.1 Resting System, W. S. HARRIS and C. H. FITCH V. 2.1 PFSLIES of Transient Heat Conduction Systems in the ILigh or Low Biot Number Region VIII. 3.1 Resting System, W. S. HARRIS and C. H. FITCH V. 2.1 PFISSIOLIC AND ALL AND S. C. C. S. E. BOYS, F. SARGERT, II and L. D. SILER V. 2.1 Pressure, Human Reaction to Short-Duration Changes in Ambient Air, R. C. MALLONEE, II V. 1.1 Religeration Components, Studies on Methods of Test-Birtley and Components, Studies of Max-Like Contaminants in Commercial, L. A. ALHORSKY and A. L. STUEVER A. P. GAGGE, G. M. RAPP and J. D. HARDY The Refrigeration Components, Studies on Methods of Test-Birtley And Comp		Monoman Calorimeter Study as It Relates to Consid-			VIII. 4. 1
Sading Materials			UTTT 1 1	Shading Materials, Measurement and Application of	
shading Materials VIII. 3.1 NEVENS, R. G., P. E. McNALL, JR., J. JAAX, F. H. ROHLES and W. SPRINGER, Thermal Confort (Tournais) Neutral Conditions for Three Levels of Activity			VIII. 1. 1	Solar Properties of Drapery, G. L. MOORE and	
Shading Materials				C.W. PENNINGTON	VIII. 3. 1
Shelters, Monoman Caloriteres Budy as Manual Mental Conditions for Three Levels of Activity		Shading Materials	VIII. 3. 1	W.D. BECK, J.D. HUMMELL and J.A. EIBLING	VIII. 2. 1
REVDS, R.G., P.E. McNALL, JR., J. JAAX, F.H. ROHLES and W. SPRINGER, Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity. OU OIL Heated Buildings, School Building and Operating Costs in Pennsylvania: Gas and, H.F. KINGSBURY P FEFLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Shudy as B. Relates to Considerations of the Non-Isostate Aspect of Civil Defense Shelters VIII.1. PENININGTON, C. W. and G. L. MCOORE, Measurement and Application of Solar Properties of Drapery Sladding Materials PEPTLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Shudy as B. Relates to Considerations of the Non-Isostate Aspect of Civil Defense Shelters VIII.1. PENININGTON, C. W. and G. L. MCOORE, Measurement and Application of Solar Properties of Drapery Sladding Materials PEPTLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Shudy as B. Relates to Considerations of the Non-Isostate Aspect of Civil Defense, Shelter VIII. 3.1 PEPTLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Shudy as B. Relates to Considerations of the Non-Isostate Aspect of Civil Defense, Shelter VIII. 3.1 PEPTLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Shudy as B. Relates to Considerations of the Non-Isostate Aspect of Civil Defense, Shelter VIII. 3.1 PEPTLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Shudy as B. Relates to Considerations of the Non-Isostate Aspect of Civil Defense, Shelter VIII. 3.1 PEPTLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Shudy as B. Relates to Considerations of the Non-Isostate Aspect of Civil Defense, Shelter VIII. 3.1 PEPTLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Shudy as B. Relates to Considerations of Properation of Solar Properties of Drapery Sladding Materials OTHER OF THE PROPERTIES OF The Thermal Response Pactors, S. V. 1. REPERLEY, D. W. A. P. GAGGE and J. D. HARDY, The Effective Radiant Field and Operative Temperature Necessary for Comfort With Radiant Heating, The Effective, A.P. GAGGE, G. M. RAPP and J. A. EIBLING, VIII. Refrigerant, Schelter Cooling Lan				Shelters, Monoman Calorimeter Study as It Relates	
SETURS, R.G., P.E. MCNALL, JR., J. JAAX, F.H. ROHLES and W. SPEINGER, Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity. 1.3.1 O		N		to Considerations of the Non-Isostate Aspect of	4 4
ROHLES and W. SPRINCER, Thermal Conditors for Three Levels of Activity. Oli Heated Buildings, School Building and Operating Costs in Pennsylvania: Gas and, H. F. KINGSBURY V.4.1 Description of Costs in Pennsylvania: Gas and, H. F. KINGSBURY V.4.1 PEFLEY, R. K. and M. W. BOUDERAU, Monoman Calorimeter Study as R Relates to Considerations Calorimeter Study as R Relates to Considerations and Application of Solar Properties of Drapery Shading Materials . PENNINGTON, C. W. and G. L. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials . Performance of a Seven-Zone Residential Hydronic Heating System, W.S. HARRIS and C.H. FITCH . PERFLUG, I.J. and I.J. KOPELMAN, Characteristics of Transient Head Conduction Systems in the Light of Low Biol Number Region Physical Work in 95 F- 100 Mills of Number Region Phy		MENTALS D.C. D.E. MCNALL, JD. J. JAAN F.H.		Civil Defense, M.W. BOUDREAU and R.K. PEFLEY	VIII. 1. 1
(Thermally Neutral) Conditions for Three Levels of Activity				F. SARGENT, II, Energy Costs, Comfort, and	
O U Heated Buildings, School Building and Operating Costs in Pennsylvania: Gas and, H. F. KINGSBURY V.4.1 PFEFLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Study as R Relates to Considerations of the Non-Isosata Aspect of Civil Defense Shelters VIII. 1.1 PENNINGTON, C. W. and G. L. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials VIII. 3.1 PENNINGTON, C. W. and G. L. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials VIII. 3.1 PENNINGTON, C. W. and G. L. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials VIII. 3.1 PENNINGTON, C. W. and G. L. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials VIII. 3.1 PENNINGTON, C. W. and G. L. MOORE, Measurement of Moving Air Load Calculations by Thermal Response Factors VIII. 3.1 PENNINGTON, C. W. and G. L. MOORE, Measurement of Moving Air Load Calculations by Thermal Response Factors VIII. 3.1 PERIORICAL AND ALTER AND		(Thermally Neutral) Conditions for Three Levels		Physiological Responses to Physical Work in 95 F -	
OIL Heated Buildings, School Building and Operating Costs in Pennsylvania: Gas and, H. F. KINGSBURY PFEFLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Study as R Relates to Considerations of the Non-Isostate Aspect of Civil Defense Shelters VIII.1.1 PENNINGTON, C.W. and G. I. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials PENNINGTON, C.W. and G. I. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials PERMINGTON, C.W. and G. I. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials PERMINGTON, C.W. and G. I. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials PERMINGTON, C.W. and G. M. M. G. M. M. F. F. TCH		of Activity	1. 3. 1	50% rh and 75 F - 45% rh Environments	1.1.1
Oil Heated Buildings, School Building and Operating Costs in Pennsylvania: Gas and, H. F. KINGSBURY Oil Heated Buildings, School Building and Operating Costs in Pennsylvania: Gas and, H. F. KINGSBURY Of Part of Costs in Pennsylvania: Gas and, H. F. KINGSBURY PEFLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Study as R Relates to Considerations of the Non-Isostate Aspect of Civil Defense Shelters VIII. 1.1 PENNINGTON, C. W. and G. L. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials Performance of a Seven-Zone Residential Hydronic V. 2.1 PERLUG, I.J. and I.J. KOPELMAN, Characteristics of Transient Heat Conduction Systems in the High or Low Biot Number Region				Solar Properties of Drapery Shading Materials, Meas-	0.1.1
Oil Heated Buildings, School Building and Operating Costs in Pennsylvania: Gas and, H. F. KINGSBURY PFELEY, R. K. and M. W. BOUDREAU, Monoman Calcrimeter Study as R Relates to Considerations of the Non-Isostate Aspect of Civil Defense Shelters VIII.1.1 PERNINGTON, C. W. and G. L. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials VIII.3.1 Performance of a Seven-Zone Residential Hydronic Heating System, W. S. HARRIS and C. H. FITCH		0		urement and Application of, G. L. MOORE and	
Costs in Pennsylvania: Gas and, H. F. KINGSBURY V.4.1 PERNINGTON, C. W. and G. L. MOORE, Measurement of the Non-Isostate Aspect of Civil Defense Shelters vIII.1.1 PENNINGTON, C. W. and G. L. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials VIII.3.1 Performance of a Seven-Zone Residential Hydronic Heating System, W. S. HARRIS and C. H. FITCH V.2.1 PFLUG, I.J. and I.J. KOPELMAN, Characteristics of Transient Heat Conduction Systems in the ligh or Low Biot Number Region IV.4.1 Pressure, Human Reaction to Short-Duration Changes in Ambient Air, R. C. MALLONEE, II IPressure, Human Reaction to Short-Duration Changes in Ambient Air, R. C. MALLONEE, II III.4.1 Readiation Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective, A.P., GAGGE, G.M. RAPP and J.D. HARDY II. I. Rediction from Rectilinear Fins, Combined Convection and, B. E. E.NO III. I. Refrigerant of Components, Studies on Methods of Restrict of Common Rectilinear Fins, Combined Convection and, B. E. E.NO III. I. Refrigerant, Shelter Cooling Using Methanol as a, W. I. E. HOFFMAN and B. L. LANGE II. I. Refrigerants, Shelter Cooling Using Methanol as a, W. I. E. HOFFMAN and B. L. LANGE III. I. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R. A. MATULA and O.W. WITZELL III. I. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R. A. MATULA and O.W. WITZELL III. I. Refrigeration Components, Studies on Methods of Testing the Cleanliness of J. M. KEYES, J. E. HOFFMAN, L. A. ZAHORSKY, S. L. GORDE, M. R. C. MALLONEE, III. III. III. III. III. III. III. I				C.W. PENNINGTON	VIII. 3. 1
PEFLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Study as R Relates to Considerations of the Non-Isostate Aspect of Civil Defense Shelters VIII.1.1 PENNINGTON, C. W. and G. L. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials VIII.3.1 Performance of a Seven-Zone Residential Hydronic Heating System, W. S. RARRISS and C. H. FITCH V2.1 PLUG, I.J. and I.J. KOPELMAN, Characteristics of Transient fleat Conduction Systems in the Light of Transient fleat Conduction Systems in Ambient Air, R.C. MALLONEE, H. J. J. Physioglead More and S. F. 45% of Environments, Energy Costs, Comfort, and, M. K. FAHNESTOCK, F. E. BOYS, F. SARGENT, I. and L.D. SLURR II. 1.1 Pressure, Human Reaction to Short-Duration Changes in Ambient Air, R.C. MALLONEE, H III. 4.1 Pressure, Human Reaction to Short-Duration Changes in Ambient Air, R.C. MALLONEE, H III. 4.1 Pressure, Human Reaction to Short-Duration Changes in Ambient Air, R.C. MALLONEE, H III. 4.1 Pressure, Human Reaction to Short-Duration Changes in Ambient Air, R.C. MALLONEE, H III. 4.1 Pressure, Human Reaction to Short-Duration Changes in Ambient Air, R.C. MALLONEE, H. III. 4.1 Pressure, Human Reaction to Short-Duration Changes in Ambient Air, R.C. MALLONEE, H. III. 4.1 Pressure, Human Reaction to Short-Duration Changes in Ambient Air, R.C. MALLONEE, H. III. 4.1 Pressure, Human Reaction to Short-Duration Changes in Ambient Air, R.C. MALLONEE, H. III. 4.1 Pressure, Human Reaction to Morte Mallone Conduction Studies on Methods of Testing the Reduced Viscosity of Vapor, R. A. LANGE III. 4.1 Pressure for Mallone Conduction Studies on Methods of Testing the Reduced Viscosity of Vapor, R. A. MATULA and O. W. WITZELL .			V 4 1	Solid State Fan Motor Speed Control, Control of Con-	
PEFLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Study as It Relates to Considerations of the Non-Isostate Aspect of Civil Defense Shelters VIII.1.1 PENNINGTON, C. W. and G. L. MOORE, Measurement and Application of Solar Properties of Drapey Shading Materials. Performance of a Seven-Zone Residential Hydronic Heating System, W. S. HARRIS and C. H. FITCH. PERDIGIAL, J. and I. J. KOPELMAN, Characteristics of Transient Heat Conduction Systems in the High or Low Biol Number Region. IV. 4.1 Physiological Responses to Physical Work in 95 F-30% rh and 75 F-487 rh Environments, Energy Costs, Comfort, and, M. K. FAINESTOCK, F. E. BOYS, F. SARGENT, II and L. D. SILER. Pressure, Human Reaction to Short-Duration Changes in Ambient Air, R. C. MALLONEE, II. Radiation From Rectilinear Fins, Combined Convection and, B. E. ENO. RAPP, G. M., A. P. GAGGE and J. D. HARDY. Refrigerant for meetitlenear Fins, Combined Convection and, B. E. ENO. Refrigerant, Shelter Cooling Using Methanol as a, W. D. BECK, J. D. HUMMELL and J. A. EIBLING. WIN J. E. HOFFMAN and B. L. LANGE. Refrigeration Components, Studies on Methods of Testing the Cenaliness of, J. M. KEYES, J. E. HOFFMAN, L. A. ZAHORSKY and A. L. STUSVER. Refrigeration Components, Studies on Methods of Testing the Cenaliness of, J. M. KEYES, J. E. HOFFMAN, L. A. ZAHORSKY and A. L. STUSVER. Refrigeration Components, Studies on Methods of Testing the Cenaliness of, J. M. KEYES, J. E. HOFFMAN, L. A. ZAHORSKY and A. L. STUSVER. Refrigeration Components, Studies on Methods of Testing the Reduced Viscosity of Vapor, R. A. MATULA and O. W. WITZELL VI. 1. Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants with a Refrigerant Drier, J. E. HOFFMAN and B. L. LANGE Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants with a Refrigerant Drier, J. E. HOFFMAN and B. L. LANGE Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants with a Refrigerant Drier, J. E. HOFFMAN and B. L. LANGE Removing Wax-Lik		Costs in Felinsylvania. Gas and, II. I. Milossotti	* . 4. 1		VII.4.1
PEFLEY, R. K. and M. W. BOUDREAU, Monoman Calorimeter Study as it Relates to Considerations of the Non-Isostate Aspect of Civil Defense Shelters VIII.1.1 PENNINGTON, C. W. and G. L. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials. Performance of a Seven-Zone Residential Hydronic Heating System, W. S. HARRIS and C. H. FTCH. V. 2.1 PFLUG, I.J. and I.J. KOPELMAN, Characteristics of Transient Heat Conduction Systems in the High or Low Biol Number Region . IV.4.1 Prysiological Responses to Physical Work in 95 F-50% rh and 75 F-45% rh Environments, Energy Costs, Comfort, and, M. K. FAHNESTOCK, F. E. BOYS, F. SARGENT, II and L.D. SILER. II.1 Pressure, Human Reaction to Short-Duration Changes in Ambient Air, R. C. MALLONEE, II . II.4. Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective, A. P. GAGGE, G. M. RAPP and J. D. HARDY				SPRINGER, W., P.E. McNALL, JR., J. JAAX, F.H.	
Retigeration Components, Studies on Methods of Testing the addiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective Radiant Field and Operative		P		ROHLES and R. G. NEVINS, Thermal Comfort	
Calorimeter Study as R Relates to Considerations of the Non-Isostate Aspect of Civil Déenes Shelters VIII. 1. PENNINGTON, C. W. and G. L. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials . Performance of a Seven-Zone Residential Hydronic Heating System, W. S. HARRIS and C. H. FITCH. V. 2.1 PFLUG, I. J. and I. J. KOPELMAN, Characteristics of Transient Heat Conduction Systems in the ligh or Low Biot Number Region		DEVIEW R K and M W BOUDREAU Monoman			1.3.1
PENNINGTON, C. W. and G. L. MOORE, Measurement and Application of Solar Properties of Drapery Shading Materials . Performance of a Seven-Zone Residential Hydronic Heating System, W. S. HARRIS and C. H. FITCH . PFLUG, 1, J. and I. J. KOPELMAN, Characteristics of Transient Heat Conduction Systems in the High of Low Biot Number Region				STEPHENSON, D. G. and G. P. MITALAS, Cooling	
and Application of Solar Properties of Drapery Shading Materials			VIII.1.1	Load Calculations by Thermal Response Factor	
Shading Materials VIII. 3.1 Performance of a Seven-Zone Residential Hydronic Heating Systems, W.S. HARRIS and C.H. FITCH V.2.1 PFLUG, L.J. and I. J. MOPELMAN, Characteristics of Transient Heat Conduction Systems in the Ligh or Low Biot Number Region				Method	III. 1. 1
Ferformance of a Seven-Zone Residential Hydronic Heating System, W. S. HARRIS and C. H. FITCH PFLUG, I.J. and I. J. KOPELMAN, Characteristics of Transient Heat Conduction Systems in the High or Low Biot Number Region			VIII. 3, 1	Thermal Response Factors	III. 2. 1
PFIUG. J. J. and I. J. KOPELMAN, Characteristics of Transient Heat Conduction Systems in the High or Low Biof Number Region				Studies on Methods of Testing the Cleanliness of Re-	
of Transient Heat Conduction Systems in the fitigh or Low Biot Number Region			V.2.1	frigeration Components, J.M. KEYES, J.E. HOFF-	77 9 1
or Low Biot Number Region					п.2.1
Physiological Responses to Physical Work in 95 F- 50% rh and 75 F - 45% rh Environments, Energy Costs, Comfort, and, M. K. FAINESTOCK, F. E. BOYS, F. SARGENT, II and L. D. SILER			IV.4.1	L.A. ZAHORSKY, Studies on Methods of Testing	
Costs, Comfort, and, M. K. FAHNESTOCK, F. E. BOYS, F. SARGENT, II and L. D. SILER		Physiological Responses to Physical Work in 95 F-		the Cleanliness of Refrigeration Components	П. 2. 1
BOYS, F. SARGENT, II and L. D. SILER				SWARD, G.R. and R.R. LASCHOBER, Correlation of	
Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective, A. P. CAGGE, G. M. RAPP and J. D. HARDY			1.1.1		V.3.1
Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective, A. P. GAGGE, G. M. RAPP and J. D. HARDY					
Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective, A. P. GAGGE, G. M. RAPP and J. D. HARDY. Radiation from Rectilinear Fins, Combined Convection and, B. E. ENO RAPP, G. M., A. P. GAGGE and J. D. HARDY, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating. Refrigerant Drier, Removing Wax-Like Contaminants with a, J. E. HOFFMAN and B. L. LANGE W. D. BECK, J. D. HUMMELL and J. A. EIBLING. W. WITZELL Refrigerants, Shelter Cooling Using Methanol as a, W. D. BECK, J. D. HUMMELL and J. A. EIBLING. O. W. WITZELL Refrigerantion Components, Studies on Methods of Testing the Reduced Viscosity of Vapor, R. A. MATULA and O. W. WITZELL Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants in Commercial, L. A. ZAHORSKY. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors M. D. EMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors M. D. EMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors M. D. E. ENO Temperature Measurement of Moving Ait thermal Conditions Using Thermocommistors and Thermocometers, Errors ture Measurement of Moving Ait under Conditions Using Thermocommistors and Thermocometry, Errors and Thermometers, Errors ture Measurement of Moving Ait under Conditions Using Thermocommistors and Thermocommist		in Ambient Air, R.C. MALLONEE, II	ш.4.1		
Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective, A. P. GAGGE, G. M. RAPP and J. D. HARDY. Radiation from Rectilinear Fins, Combined Convection and, B. E. ENO RAPP, G. M., A. P. GAGGE and J. D. HARDY, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating. Refrigerant Drier, Removing Wax-Like Contaminants with a, J. E. HOFFMAN and B. L. LANGE W. D. BECK, J. D. HUMMELL and J. A. EIBLING. W. WITZELL Refrigerants, Shelter Cooling Using Methanol as a, W. D. BECK, J. D. HUMMELL and J. A. EIBLING. O. W. WITZELL Refrigerantion Components, Studies on Methods of Testing the Reduced Viscosity of Vapor, R. A. MATULA and O. W. WITZELL Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants in Commercial, L. A. ZAHORSKY. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors M. D. EMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors M. D. EMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors M. D. E. ENO Temperature Measurement of Moving Ait thermal Conditions Using Thermocommistors and Thermocometers, Errors ture Measurement of Moving Ait under Conditions Using Thermocommistors and Thermocometry, Errors and Thermometers, Errors ture Measurement of Moving Ait under Conditions Using Thermocommistors and Thermocommist					
Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating, The Effective, A. P. GAGGE, G. M. RAPP and J. D. HARDY. I. A. P. GAGGE, G. M. RAPP and J. D. HARDY. The Effective Radiant Field and J. D. HARDY. The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating		p		T	
for Comfort with Radiant Heating, The Effective, A. P. GAGGE, G. M. RAPP and J. D. HARDY. Radiation from Rectilinear Fins, Combined Convection and, B. E. ENO				Temperature Measurement of Moving Air under Iso-	
A.P. GAGGE, G.M. RAPP and J.D. HARDY. Radiation from Rectilinear Fins, Combined Convection and, B.E. ENO				thermal Conditions Using Thermocouples, Thermistors and Thermometers Errors in J.C.	
Radiation from Rectilinear Fins, Combined Convection and, B. E. ENO RAPP, G. M., A. P. GAGGE and J. D. HARDY, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating. Refrigerant Drier, J. E. HOFFMAN and B. L. LANGE. Refrigerants, Shelter Cooling Using Methanol as a, W. D. BECK, J. D. HUMMELL and J. A. EIBLING. WITZELL. Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J. M. KEYES, J. E. HOFFMAN, L. A. ZAHORSKY and A. L. STUEVER. Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants in Commercial, L. A. ZAHORSKY. Removing Wax-Like Contaminants with a Refrigerant Drier, J. E. HOFFMAN and B. L. LANGE. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. REMBOLD, W. TYPELL VANAMEN COMBEN CANTE				DAVIS, T. K. FAISON and P.R. ACHENBACH	VII. 1. 1
RAPP, G.M., A.P. GAGGE and J.D. HARDY, The Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating		Radiation from Rectilinear Fins, Combined Convection		Temperature Necessary for Comfort with Radiant	
Effective Radiant Field and Operative Temperature Necessary for Comfort with Radiant Heating			IV.1.1	Heating, The Effective Radiant Field and Operative,	1
Necessary for Comfort with Radiant Heating					1.2.1
with a, J. E. HOFFMAN and B. L. LANGE				trol, Control of Condensing, D. B. DIBBLE and	
Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING. VIII. 2.1 Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL				R.E. WOOD.	VII.4.1
W. D. BECK, J. D. HUMMELL and J. A. EIBLING. VIII. 2.1 Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R. A. MATULA and O. W. WITZELL. VI. 1.1 Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J. M. KEYES, J. E. HOFF-MAN, L. A. ZAHORSKY and A. L. STUEVER. II. 2.1 Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants in Commercial, L. A. ZAHORSKY. II. 1.1 REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors VI. 2.1 Removing Wax-Like Contaminants with a Refrigerant Drier, J. E. HOFFMAN and B. L. LANGE III. 3.1 ROMLES, F. H. P. E. McNALL, JR., J. JAAX, R. G. NEVINS and W. SPRINGER, Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity. Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. Mc SPRINGER. Thermal Environment in Perimeter Cooled with Ventilating Ceilings, L. I. Thermal Response Factor Method, Calculations by, D. G. STEPHENSO MITALAS. Thermal Response Factors, Room, G. Thermal Response Factors, Room, G. Thermistors and Thermocouples, Thermocouples, Thermocouples, T. K. FAISON and P. R. ACHENBACH Thermocouples, Thermistors and Thermistors and Thermocouples, Thermistors and Thermocouples, Thermistors and The		WILLIAM A. E. HILFEMAN 200 B. L. LANGE	11, 3, 1	remperatures, neat transfer from Humid Air to a	
Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R. A. MATULA and O.W. WITZELL		Refrigerant, Shelter Cooling Using Methanol as a.		Horizontal Flat Plate Held at Sub-Freezing, G. J.	
O.W. WITZELL		Refrigerant, Shelter Cooling Using Methanol as a,	VIII. 2. 1	Horizontal Flat Plate Held at Sub-Freezing, G.J. TRAMMELL, J. CANTERBURY and E.M. KILL-	
Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J. M. KEYES, J.E. HOFF-MAN, L.A. ZAHORSKY and A.L. STUEVER		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING Refrigerants, A Generalized Approach for Predicting	VIII. 2. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE	IV. 3. 1
ing the Cleanliness of, J.M. KEYES, J.E. HOFF-MAN, L.A. ZAHORSKY and A.L. STUEVER		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and	VIII. 2. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE	IV. 3. 1
MAN, L.A. ZAHORSKY and A.L. STUEVER		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL	VII. 2. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. McNALL, JR.,	IV. 3. 1
of Wax-Like Contaminants in Commercial, L.A. ZAHORSKY		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL. Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J.M. KEYES, J.E. HOFF-	VII. 2. 1 VI. 1. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE. Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. McNALL, JR., J. JAAX, F. H. ROHLES, R. G. NEVINS and W. SPRINGER.	IV. 3. 1
ZAHORSKY. REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. Removing Wax-Like Contaminants with a Refrigerant Drier, J.E. HOFFMAN and B.L. LANGE. ROHLES, F. H., P.E. McNALL, JR., J. JAAX, R.G. NEVINS and W. SPRINGER, Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity. Room Thermal Response Factors, G. P. MITALAS II.1.1 Calculations by, D. G. STEPHENSO MITALAS. Thermal Response Factors, Room, G. and D.G. STEPHENSON. Thermistors and Thermometers, Errors ture Measurement of Moving Air unde Conditions Using Thermocouples, Thermistors and Thermisto		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL. Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J.M. KEYES, J.E. HOFF-MAN, L.A. ZAHORSKY and A. L. STUEVER.	VIII. 2. 1 VI. 1. 1 II. 2. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE. Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. McNALL, JR., J. JAAX, F. H. ROHLES, R. G. NEVINS and W. SPRINGER. Thermal Environment in Perimeter Office Spaces	1.3.1
REMBOLD, U. and R. K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL	VIII. 2. 1 VI. 1. 1 II. 2. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. McNALL, JR., J. JAAX, F. H. ROHLES, R. G. NEVINS and W. SPRINGER. Thermal Environment in Perimeter Office Spaces Cooled with Ventilating Ceilings, L. L. BOYER, JR.	
pressors		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL. Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J.M. KEYES, J.E. HOFFMAN, L.A. ZAHORSKY and A.L. STUEVER. Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants in Commercial, L.A. ZAHORSKY.	VIII. 2. 1 VI. 1. 1 п. 2. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE. Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. McNALL, JR., J. JAAX, F. H. ROHLES, R. G. NEVINS and W. SPRINGER. Thermal Environment in Perimeter Office Spaces Cooled with Ventilating Ceilings, L. L. BOYER, JR. Thermal Response Factor Method, Cooling Load Calculations by, D. G. STEPHENSON and G. P.	I. 3. 1 Ш. 3. 1
Removing Wax-Like Contaminants with a Refrigerant Drier, J.E. HOFFMAN and B.L. LANGE		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL. Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J.M. KEYES, J.E. HOFFMAN, L.A. ZAHORSKY and A. L. STUEVER. Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants in Commercial, L.A. ZAHORSKY. REMBOLD, U. and R.K. LO, Development of a Dou-	VIII. 2. 1 VI. 1. 1 П. 2. 1 П. 1. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. McNALL, JR., J. JAAX, F. H. ROHLES, R. G. NEVINS and W. SPRINGER. Thermal Environment in Perimeter Office Spaces Cooled with Ventilating Ceilings, L. L. BOYER, JR. Thermal Response Factor Method, Cooling Load Calculations by, D. G. STEPHENSON and G. P. MITALAS.	I. 3. 1 Ш. 3. 1
Drier, J.E. HOFFMAN and B.L. LANGE		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL. Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J.M. KEYES, J.E. HOFFMAN, L.A. ZAHORSKY and A.L. STUEVER. Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants in Commercial, L.A. ZAHORSKY. REMBOLD, U. and R.K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Com-	VII. 2. 1 VI. 1. 1 П. 2. 1 П. 1. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. McNALL, JR., J. JAAX, F. H. ROHLES, R. G. NEVINS and W. SPRINGER Thermal Environment in Perimeter Office Spaces Cooled with Ventilating Ceilings, L. L. BOYER, JR. Thermal Response Factor Method, Cooling Load Calculations by, D. G. STEPHENSON and G. P. MITALAS. Thermal Response Factors, Room, G. P. MITALAS.	I. 3. 1 Ш. 3. 1
Revins and W. SPRINGER, Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL. Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J.M. KEYES, J.E. HOFFMAN, L.A. ZAHORSKY and A.L. STUEVER. Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants in Commercial, L.A. ZAHORSKY. REMBOLD, U. and R.K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. Removing Wax-Like Contaminants with a Refrigerant	VII. 2. 1 VI. 1. 1 п. 2. 1 п. 1. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. McNALL, JR., J. JAAX, F. H. ROHLES, R. G. NEVINS and W. SPRINGER. Thermal Environment in Perimeter Office Spaces Cooled with Ventilating Ceilings, L. L. BOYER, JR. Thermal Response Factor Method, Cooling Load Calculations by, D. G. STEPHENSON and G. P. MITALAS.	I. 3. 1 Ш. 3. 1
(Thermally Neutral) Conditions for Three Levels of Activity		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J.M. KEYES, J.E. HOFF-MAN, L.A. ZAHORSKY and A.L. STUEVER. Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants in Commercial, L.A. ZAHORSKY. REMBOLD, U. and R.K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. Removing Wax-Like Contaminants with a Refrigerant Drier, J.E. HOFFMAN and B.L. LANGE	VII. 2. 1 VI. 1. 1 II. 2. 1 II. 1. 1 VI. 2. 1 II. 3. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. McNALL, JR., J. JAAX, F. H. ROHLES, R. G. NEVINS and W. SPRINGER. Thermal Environment in Perimeter Office Spaces Cooled with Ventilating Ceilings, L. L. BOYER, JR. Thermal Response Factor Method, Cooling Load Calculations by, D. G. STEPHENSON and G. P. MITALAS. Thermal Response Factors, Room, G. P. MITALAS and D. G. STEPHENSON. Thermistors and Thermometers, Errors in Temperature Measurement of Moving Air under Isothermal	I. 3. 1 Ш. 3. 1
of Activity		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J.M. KEYES, J.E. HOFF-MAN, L.A. ZAHORSKY and A.L. STUEVER. Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants in Commercial, L.A. ZAHORSKY. REMBOLD, U. and R.K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. Removing Wax-Like Contaminants with a Refrigerant Drier, J.E. HOFFMAN and B.L. LANGE. ROHLES, F.H., P.E. McNALL, JR., J. JAAX, R.G.	VII. 2. 1 VI. 1. 1 II. 2. 1 II. 1. 1 VI. 2. 1 II. 3. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. McNALL, JR., J. JAAX, F. H. ROHLES, R. G. NEVINS and W. SPRINGER. Thermal Environment in Perimeter Office Spaces Cooled with Ventilating Ceilings, L. L. BOYER, JR. Thermal Response Factor Method, Cooling Load Calculations by, D. G. STEPHENSON and G. P. MITALAS. Thermal Response Factors, Room, G. P. MITALAS and D. G. STEPHENSON. Thermistors and Thermometers, Errors in Temperature Measurement of Moving Air under Isothermal Conditions Using Thermocouples, J. C. DAVIS,	I. 3. 1 III. 3. 1 III. 1. 1 III. 2. 1
and D.G. STEPHENSON III. 2.1 under Isothermal Conditions Using, T.K. FAISON and P.R. ACHENBACH		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL. Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J.M. KEYES, J.E. HOFFMAN, L.A. ZAHORSKY and A.L. STUEVER. Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants in Commercial, L.A. ZAHORSKY. REMBOLD, U. and R.K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. Removing Wax-Like Contaminants with a Refrigerant Drier, J.E. HOFFMAN and B.L. LANGE. ROHLES, F.H., P.E. MCNALL, JR., J. JAAX, R.G. NEVINS and W. SPRINGER, Thermal Comfort	VIII. 2. 1 VI. 1. 1 II. 2. 1 II. 1. 1 VI. 2. 1 II. 3. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. McNALL, JR., J. JAAX, F. H. ROHLES, R. G. NEVINS and W. SPRINGER. Thermal Environment in Perimeter Office Spaces Cooled with Ventilating Ceilings, L. L. BOYER, JR. Thermal Response Factor Method, Cooling Load Calculations by, D. G. STEPHENSON and G. P. MITALAS. Thermal Response Factors, Room, G. P. MITALAS and D. G. STEPHENSON. Thermistors and Thermometers, Errors in Temperature Measurement of Moving Air under Isothermal	I. 3. 1 III. 3. 1 III. 1. 1 III. 2. 1
1. K. FABON and P.R. ACHENBACH		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J.M. KEYES, J.E. HOFFMAN, L.A. ZAHORSKY and A.L. STUEVER. Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants in Commercial, L.A. ZAHORSKY. REMBOLD, U. and R.K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors Removing Wax-Like Contaminants with a Refrigerant Drier, J.E. HOFFMAN and B.L. LANGE. ROHLES, F.H., P.E. McNALL, JR., J. JAAX, R.G. NEVINS and W. SPRINGER, Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity	VII. 2. 1 VI. 1. 1 II. 2. 1 II. 1. 1 VI. 2. 1 II. 3. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. McNALL, JR., J. JAAX, F. H. ROHLES, R. G. NEVINS and W. SPRINGER. Thermal Environment in Perimeter Office Spaces Cooled with Ventilating Ceilings, L. L. BOYER, JR. Thermal Response Factor Method, Cooling Load Calculations by, D. G. STEPHENSON and G. P. MITALAS. Thermal Response Factors, Room, G. P. MITALAS and D.G. STEPHENSON. Thermistors and Thermometers, Errors in Temperature Measurement of Moving Air under Isothermal Conditions Using Thermocouples, J. C. DAVIS, T. K. FAISON and P. R. ACHENBACH. Thermocouples, Thermistors and Thermometers, Errors in Temperature Measurement of Moving Air	I. 3. 1 III. 3. 1 III. 1. 1 III. 2. 1
		Refrigerant, Shelter Cooling Using Methanol as a, W.D. BECK, J.D. HUMMELL and J.A. EIBLING. Refrigerants, A Generalized Approach for Predicting the Reduced Viscosity of Vapor, R.A. MATULA and O.W. WITZELL Refrigeration Components, Studies on Methods of Testing the Cleanliness of, J.M. KEYES, J.E. HOFFMAN, L.A. ZAHORSKY and A.L. STUEVER. Refrigeration Equipment, Field and Laboratory Studies of Wax-Like Contaminants in Commercial, L.A. ZAHORSKY. REMBOLD, U. and R.K. LO, Development of a Double-Lobed Cylinder for Rotary Vane-Type Compressors. Removing Wax-Like Contaminants with a Refrigerant Drier, J.E. HOFFMAN and B.L. LANGE. ROHLES, F.H., P.E. MCNALL, JR., J. JAAAX, R.G. NEVINS and W. SPRINGER, Thermal Comford (Thermally Neutral) Conditions for Three Levels of Activity. Room Thermal Response Factors, G. P. MITALAS	VIII. 2. 1 VI. 1. 1 II. 2. 1 II. 1. 1 VI. 2. 1 II. 3. 1	TRAMMELL, J. CANTERBURY and E.M. KILL-GORE Thermal Comfort (Thermally Neutral) Conditions for Three Levels of Activity, P. E. McNALL, JR., J. JAAX, F. H. ROHLES, R. G. NEVINS and W. SPRINGER Thermal Environment in Perimeter Office Spaces Cooled with Ventilating Ceilings, L. L. BOYER, JR. Thermal Response Factor Method, Cooling Load Calculations by, D. G. STEPHENSON and G. P. MITALAS. Thermal Response Factors, Room, G. P. MITALAS and D. G. STEPHENSON. Thermistors and Thermometers, Errors in Temperature Measurement of Moving Air under Isothermal Conditions Using Thermocouples, J. C. DAVIS, T. K. FAISON and P.R. ACHENBACH Thermocouples, Thermistors and Thermometers, Errors in Temperature Measurement of Moving Air under Isothermal Conditions Using, J. C. DAVIS,	I.3.1 III.3.1 III.1.1 III.2.1

1.1 3.1

2.1 4.1 2.1 2.1

1.1

1,1

1.1

3.1

2.1

3.1

4.1

1,1

4.1

3.1

3.1

2.1

4.1


1.1

3.1

3.1

уп. 1. 1	Viscosity of Vapor Refrigerants, A Generalized Approach for Predicting the Reduced, R.A. MATULA and O.W. WITZELL	VLI
	w	
. IV.3.1	WITZELL, O.W. and R.A. MATULA, A Generalized Approach for Predicting the Reduced Viscosity of	
	WOOD D F and D D DIDDIE Control of Condens	VI.1
		VII.
	Work in 95 F - 50% rh and 75 F - 45% rh Environ-	Mail:
	BOYS, F. SARGENT, II and L.D. SILER	Li
	Z	
	ZAHORSKY, L. A., Field and Saboratory Studies of	130
		IL.
-		- 11
	and A.L. STUEVER, Studies on Methods of Test-	
	ing the Cleanliness of Refrigeration Components	IL:
		- 50
	t. VI. 3. 1 d. VII. 1. 1 A. VI. 1. 1 h. IV. 2. 1 h. VI. 3. 1	proach for Predicting the Reduced, R.A. MATULA and O.W. WITZELL. WIL.1.1 WWITZELL, O.W. and R.A. MATULA, A Generalized Approach for Predicting the Reduced Viscosity of Vapor Refrigerants. WOOD, R.E. and D.B. DIBBLE, Control of Condensing Temperature Using Solid State Fan Motor Speed Control Work in 95 F - 50% rh and 75 F - 45% rh Environments, Energy Costs, Comfort, and Physiological Responses to Physical, M.K. FAHNESTOCK, F.E. BOYS, F. SARGENT, II and L.D. SILER. VI. 1.1 IV. 2.1 ZAHORSKY, L. A., Field and Aboratory Studies of Wax-Like Contaminants in Commercial Refrigeration Equipment ZAHORSKY, L. A., J. M. KEYES, J. E. HOFFMAN and A. L. STUEVER, Studies on Methods of Test-





MERCEN AND THE PROPERTY OF THE			
A A		Fan Sound Measurement, Accuracy Considerations in,	
		P.K. BAADE.	V. 1. 1
Accuracy Considerations in Fan Sound Measurement, P.K. BAADE	37 1 1	Fan Sound Power Level Prediction, Centrifugal, G.C. GROFF, J.R. SCHREINER and C.E. BULLOCK	W 4 1
P.R. BAADE	V. 1. 1	FEYERHERM, A. M. and R. G. NEVINS, Effect of Floor	V. 3. 1
В		Surface Temperature on Comfort, Part IV: Cold	
		Floors	III. 2. 1
BAADE, P. K., Accuracy Considerations in Fan Sound Measurement	V 1 1	Fluid Flow Inside a Horizontal Tube Evaporator: Phase III, Heat Transfer and, A.J. DICKSON and S.W.	
BOMMES, L., Effect of Fan Configuration on the Var-	V. A. A	GOUSE, JR	IV. 2. 1
iation of Fan Sound Generation with OPERATING			
CONDITION	V. 3. 1	G	
BONNELL, J. M., Combustion Pressure Oscillations in a Gas-Fired Combustor	W 9 1	GAGGE, A.P. and G.M. RAPP, Configuration Factors	
Building Pressures Caused by Chimney Action and	V. a. 1	and Comfort Design in Radiant Beam Heating of Man	
Mechanical Ventilation, G.T. TAMURA and A.G.		by High Temperature Infrared Sources	Ш. 1. 1
WILSON.	П. 2. 1	GATES, R. R., C. F. SEPSY and G. D. HUFFMAN, Heat	
BULLOCK, C. E., G. C. GROFF and J. R. SCHREINER, Centrifugal Fan Sound Power Level Prediction	V 4 1	Transfer and Pressure Loss in Extended Surface Heat Exchangers Operating Under Frosting Condi-	
Centritugal Fan Sound Fower Dever Frenction,	V. Z. I	tions, Part I: Literature Survey, Test Apparatus	-
C		and Preliminary Results	I. 2. 1
Saludation of Thornal Comforts Introduction of a Bo		GOUSE, S.W., JR. and A.J. DICKSON, Heat Trans-	
Calculation of Thermal Comfort: Introduction of a Ba- gic Comfort Equation, P.O. FANGER	III. 4. 1	fer and Fluid Flow Inside a Horizontal Tube Evaporator: Phase III.	IV. 2. 1
Centrifugal Fan Sound Power Level Prediction, G. C.		GROFF, G. C., J. R. SCHREINER and C. E. BULLOCK,	
GROFF, J. R. SCHREINER and C. E. BULLOCK		Centrifugal Fan Sound Power Level Prediction	V. 4. 1
Chimney Action and Mechanical Ventilation, Building		н	
Pressures Caused by, G.T. TAMURA and A.G. WILSON.	П. 2. 1	А	
Chimney Effect in Three High Buildings, Pressure		HARRISON, H. L. and R. T. McNAMARA, A Lumped	
Differences Caused by, G.T. TAMURA and A.G.		Parameter Approach to Crossflow Heat Exchanger	*** * *
COHEN, R. and A. G. DOIGE, An Energy Concept Ap-	п. 1. 1	Dynamics	IV. I. I
plied to the Design of Compressor Valves	IV. 3. 1	proach to Crossflow, R. T. McNAMARA and H. L.	
Cold Food Technology: Problems of Growth, R. E.		HARRISON	IV. 1. 1
MORSE	0. 1. 1	Heat Transfer and Fluid Flow Inside a Horizontal Tube	
Combustion Pressure Oscillations in a Gas-Fired Combustor, J. M. BONNELL.	V. 2. 1	Evaporator: Phase III, A.J. DICKSON and S.W. GOUSE, JR.	IV. 2. 1
Comfort and Academic Achievement in an Air-Condi-		Heat Transfer and Pressure Loss in Extended Surface	
tioned Junior High SchoolA Summary Evaluation		Heat Exchangers Operating Under Frosting Condi-	
of the Pinellas County Experiment, P. E. McNALL,		tions, Part I: Literature Survey, Test Apparatus	
JR. and R. G. NEVINS	ш. з. 1	and Preliminary Results, R. R. GATES, C. F. SEP- SY and G.D. HUFFMAN	T 2 1
High Temperature Infrared Sources, Configuration		Heat Transfer and Pressure Loss in Extended Surface	
Factors and, G.M. RAPP and A.P. GAGGE		Heat Exchangers Operating Under Frosting Condi-	
Comfort Equation, Calculation of Thermal Comfort: Introduction of a Basic, P.O. FANGER		tions, Part II: Data Analysis and Correlation, G.D. HUFFMAN and C.F. SEPSY	131
Comfort, Part IV: Cold Floors, Effect of Floor Sur-		HUFFMAN, G.D. and C.F. SEPSY, Heat Transfer and	4. 0. 4
face Temperature on, R. G. NEVINS and A. M. FEY-		Pressure Loss in Extended Surface Heat Exchang-	
ERHERM		ers Operating Under Frosting Conditions, Part II:	
Configuration Factors and Comfort Design in Radiant Beam Heating of Man by High Temperature Infrared		Data Analysis and Correlation	
Sources, G. M. RAPP and A. P. GAGGE		Transfer and Pressure Loss in Extended Surface	
		Heat Exchangers Operating Under Frosting Condi-	
D		tions, Part I: Literature Survey, Test Apparatus and Preliminary Results	T 9 1
Design of Compressor Valves, An Energy Concept Ap-		and Freminiary Results	4. 0. 4
plied to the, A. G. DOIGE and R. COHEN		I	
DICKSON, A. J. and S. W. GOUSE, Jr., Heat Transfer and Fluid Flow Inside a Horizontal Tube Evaporator	TV 2 1	Investigation of the Thermal Conductivity of Frost	
DOIGE, A. G. and R. COHEN, An Energy Concept Ap-	14.2.1	While Forming on a Flat Horizontal Plate, An, J.D.	
plied to the Design of Compressor Valves	IV. 3. 1	YONKO and C. F. SEPSY	I. 1. 1
		L	
Effect of Fan Configuration on the Variation of Fan			
Sound Generation with OPERATING CONDITION, L. BOMMES	V 9 1	Lumped Parameter Approach to Crossflow Heat Ex-	
Effect of Floor Surface Temperature on Comfort, Part		changer Dynamics, A, R. T. McNAMARA and H. L. HARRISON	IV. 1.
IV: Cold Floors, R. G. NEVINS and A. M. FEYER-			
Prevent Concept Applied to the Decimal of Company		M	
Valves, An, A. G. DOIGE and R. COHEN		McNALL, P. E., JR. and R. G. NEVINS, Comfort and	
		Academic Achievement in an Air-Conditioned Junior	
F		High SchoolA Summary Evaluation of the Pinellas	TTT 0
FANGER, P.O., Calculation of Thermal Comfort: In-		McNAMARA, R. T. and H. L. HARRISON, A Lumped	Ш. 3.
troduction of a Basic Comfort Equation		Parameter Approach to Crossflow Heat Exchanger	
Fan Sound Generation with OPERATING CONDITION,		Dynamics	IV. 1.
Effect of Fan Configuration on the Variation of, L. BOMMES.		MORSE, R. E., Cold Food Technology: Problems of Growth	0.1.1
	4 . 0 . 4		U. 1. 1

EVINS, R. G. and A. M. FEYERHERM, Effect of Floor Operating Under Frosting Condition	ice Heat Exchangers tions, Part II; Data	
Surface Temperature on Comfort, Part IV: Cold Floors	An Investigation of	I. 3. 1
EVINS, R. G. and P. E. McNALL, JR., Comfort and the Thermal Conductivity of Fr Academic Achievement in an Air-Conditioned Junior on a Flat Horizontal Plate	ost While Forming	T 1 1
High SchoolA Summary Evaluation of the Pinellas SEPSY, C. F., R. R. GATES and G.	D. HUFFMAN, Heat	4. 4. 1
County Experiment	ler Frosting Condi-	
P tions, Part I: Literature Surve and Preliminary Results	ly, Test Apparatus	I. 2. 1
inelias County Experiment, Comfort and Academic Achievement in an Air-Conditioned Junior High		
SchoolA Summary Evaluation of the, P. E. Mc- TAMURA, G. T. and A. G. WILSO		
NALL, JR. and R.G. NEVINS		II. 2.
Three High Buildings, G.T. TAMURA and A.G. TAMURA, G.T. and A.G. WILSO	ON, Pressure Dif-	
WILSON II. 1.1 ferences Caused by Chimney E Buildings		TT 1
Ventilation, Building, G.T. TAMURA and A.G. Thermal Conductivity of Frost W	hile Forming on a	Ade A.
WILSON II. 2.1 Flat Horizontal Plate, An Invest ressure Oscillations in a Gas-Fired Combustor, YONKO and C.F. SEPSY		7 1 1
Combustion, J. M. BONNELL V.2.1		4. 1. 1
W		
R WILSON, A. G. and G. T. TAMURA, Causes by Chimney Action and		
APP, G. M. and A. P. GAGGE, Configuration Factors tion		П. 2.
by High Temperature Infrared Sources	ffect in Three High	П. 1.
S Y		
CHREINER, J. R., G. C. GROFF and C. E. BULLOCK, Centrifugal Fan Sound Power Level Prediction V. 4.1 YONKO, J.D. and C. F. SEPSY, An Thermal Conductivity of Frost	While Forming on a	
CHREINER, J. R., G. C. GROFF and C. E. BULLOCK, YONKO, J. D. and C. F. SEPSY, An	١	While Forming on a

10

I. 3. 1 I. 1. 1

. 2.1

I. 2. 1

I. 1. 1

. 1.1

I. 2. 1

I. 1. 1

1.1